KELLY Dental Lab

DOCTOR PREFERENCES

Doctor Name: _____ Date: _____

PRODUCT TYPE

- ☐ Premium Always
- ☐ Ultimate Always
- ☐ Per Perscription

DIE SPACER LAYERS

- ☐ Light
- ☐ Medium
- ☐ Heavy
- ☐ Other

ALL CERAMIC

- ☐ Empress
- ☐ E-Max
- ☐ Procera
- ☐ Other

PFM METAL PREFERENCE

- ☐ Porc / Nobel White Gold
- ☐ Porc / High Nobel White Gold
- ☐ Porc / High Noble Yellow Gold
- ☐ Porc / NP

FULL CAST METAL PREFERENCE

- ☐ Nobel / White Metal
- ☐ Nobel / Yellow Gold 40%
- ☐ High N / Yellow 59%
- ☐ High N / Yellow 77%

PONTIC DESIGN

LOWER: ☐ Tissue Adapted ☐ Sanitary

UPPER: ☐ Ridge Lap ☐ No Ridge Lap

OCCLUSAL ADJUSTMENT WHEN NEEDED

- ☐ Metal Reduction Occlusal
- ☐ Metal Island
- ☐ Reduce on Opposing
- ☐ Coping

ANATOMY

- ☐ Primary Only
- ☐ Primary Secondary
- ☐ Follow Natural Anatomy

METAL DESIGN CHART

All PFM are designed with no metal showing, unless otherwise specified.
Please circle the preferred design.



PONTIC TISSE CONTACT

- ☐ Porcelain
- ☐ Metal

OCCLUSION

- ☐ In
- ☐ Out

OCCLUSIONAL STAINING

- ☐ None
- ☐ Light
- ☐ Heavy

INTERPROXIMAL CONTACTS

- ☐ Normal
- ☐ Broad
- ☐ Point